

Road Running Technical Council USA Track & Field Measurement Certificate



Name of the course Wornall 300m Calibration Course	Distance 300 M
Location (state) MO	(city) Kansas City
Type of course: Calibration	
Measuring Methods: <u>Steel Tape</u>	
Measured By Trevor Darmstetter - 803 N Bristol St - Wichita	, KS 67206 - (316) 833-6050 - trevor@timerguys.com
Race Contact N/A	
Date(s) when course measured: March 5, 2023	
Number of measurements of entire course: 2 Course Co	nfiguration: point to point
Elevation (meters above sea level) Start 280.00 Finish 28	80.00 Lowest N/A Highest N/A
Straight line distance between start and finish 300 M	Drop <u>0.00</u> m/km Separation <u>100.00</u> %
Type of surface: Paved 100 % Dirt 0 % Gravel 0	% Grass <u>0</u> % Track <u>0</u> %
Effective date of certification: March 25, 2023	Certification code: MO23001TJD
Ī	Note to Race Director: Use this Certification Code
i	in all public announcements relating to your race.

Be It Officially Noted That

Based on examination of data provided by the above named measurer, the course described above and in the map attached is hereby certified as reasonably accurate in measurement according to the standards adopted by the Road Running Technical Council. If any changes are made to the course, this certification becomes void, and the course must then be recertified.

Verification of Course --- In the event a National Open Record is set on the course, or at the discretion of USA Track & Field, a verification measurement may be required to be performed by a member of the Road Running Technical Council. If such a remeasurement shows the course to be short, then all pending records will be rejected and the course certification will be cancelled.

This certification expires on December 31 of the year: | 2033

AS NATIONALLY CERTIFIED BY:

Date: March 25, 2023

Trevor Darmstetter - USATF/RRTC Certifier - 803 N Bristol St, Wichita KS 67206 (316) 833-6050 - trevor@timerguys.com

Wornall 300m Calibration Course

Measured by steel tape to 300m by: Trevor Darmstetter trevor@timerguys.com 3/5/23

The 300m straight line distance from Point A to Point B is as straight as can be made out by eye. The distance of the measuring tape from the painted lane line was maintained as consistently during the measurement.

Point A - 58 cm from the base of light pole KCPL145111 and 69 cm from the northeast corner of the AT&T electric cover south of the same light pole.

Point B - 7m 74cm from the base of light pole KCPL564388 and 1m 93cm from the northeast corner of the electric control cover south of the same light pole.



